

TGTRANSCO Transmission Losses for the month of JULY - 2025					
EBC Data					
		INPUT	OUTPUT		
		NET ENERGY in MU	DISCOM	MU	
TGGENCO	TOTAL	2944.05			
	TGGENCO-THERMAL	2048.85	TGSPDCL	5313.67	
	TGGENCO-HYDEL	895.20	TGNPDCL	2009.95	
C.T.U			Total Discom	7323.62	
	CTU(Injection at TG-Periphery)	3584.90			
CPPs	TOTAL	101.93			
	132kv Laxmi Tulasi	0.00			
	132 kV Orient Cement	0.11			
	220KV Navabharat Energy India Ltd (NBEIL)-I	31.83			
	220KV Navabharat Energy India Ltd (NBEIL)-II	31.78			
	132KV Penna Power-I	0.00			
	132KV Penna Power-II	0.00			
	132KV Deccan Cements	0.00			
	132 kV Madhucon	0.00			
	132kv SCCL 30MW Solar Plant (Manuguru)	2.74			
	220 kV Heavy Water Plant#1	0.00			
	220 kV Heavy Water Plant#2	0.77			
	132kv PSR Green Power Proj. pvt. Ltd.	0.00			
	220KV RFCL	0.00			
	132 kV Kesoram	0.00			
	132 kv Zuvari Cement Power Limited (Previously Sitapuram Power Limited)	0.00			
	132 kV Anjaini Port Land Cement	0.00			
	132kv SCCL 37 MW Solar Plant (Sitharampatnam)	4.15			
	132 kV Sitaramapatnam - NBVL (NBFA)#1	13.38			
	132 kV Sitaramapatnam - NBVL (NBFA)#2	13.43			
	132 kV Sitaramapatnam - BPBL	0.00			
	132KV Shalivahana(MSW) Green Energy Ltd.,	0.00			
	132kv Krishnaveni Sugars Ltd	0.00			
	132 kV My Home Industries Limited	0.01			
	132 kV ICL (Rassi Cements)	0.00			
	132 kV Bharat Electronics Ltd. (solar)	0.00			
	132kv SCCL Solar Power Plant (Yellandu)	3.73			
Non-Conventional (132 & 220 kV PDs)	Total	360.40			
	ACME Medak Solar energy Pvt. Ltd.	5.79			
	ACME Nizamabad Solar Energy Pvt. Ltd	5.14			
	ACME PV Powertech Pvt. Ltd. (Sadasivpet)	6.46			
	ACME Rangaareddy Solar Power	3.72			
	ACME Solar Power Tech. Pvt. Ltd. (Bhongir)	7.33			
	Azure Power India Pvt. Ltd. (solar)	13.18			
	Clean Hero Wind Power	10.86			
	Clean Solar Power (Chittradrurqa) Pvt. Ltd	4.72			
	Clean solar	3.28			
	Dayakara Solar (P) Ltd.	3.80			
	Dinakar Solar	2.82			
	Divine Solren Pvt. Ltd.	5.27			
	Dundigal Waste 2 Energy Power Plant	9.56			
	Energon Soleq Solar (Sadasivapet)	5.96			
	Enrich (Solar)	5.24			
	G.S.R.Sugars Pvt Ltd	-0.06			
	Ganapathi Sugars Ltd.	-0.07			
	Grahati Solar	6.97			
	Hyderabad MSW Energy Solutions PVT LTD	9.64			
	Jilesh Power Pvt. Ltd. (Solar)	6.78			
	Kakatiya Cement & Sugar Industries Ltd.	-0.11			
	Karvy Solar Pvt. Ltd. (Sadasivapet)	2.30			
	Karvy solar (Mandamarry)	5.11			
	My Home Power Ltd. (NGPL)	0.00			
	Mytrah Aakash Power Pvt.,Ltd.	6.88			
	Mytrah Aqriya Power Pvt. Ltd. (Solar)	6.29			
	Mytrah Aqriya Power Pvt. Ltd. (solar) (Kamareddy)	5.85			
	Mytrah Vayu (Godavari) Pvt. Ltd. (Wind)	38.00			
	NEO Solren Pvt. Ltd. (solar)	5.15			
	NTPC Solar power plant (10MW)	0.22			
	Nizam Deccan Sugars Ltd	0.00			
	Param Pujya Solar Farms Ltd. Plant-I	7.76			
	Param Pujya Solar Farms Ltd. Plant-II	8.30			
	Polepally Solar Park	3.07			
	Prathamesh solar farms Ltd.	6.39			
	RDF Power Projects Pvt. Ltd.	0.00			
	Renew Mega Solar Pvt.Ltd	5.25			
	Renew Saurshakthi Pvt. Ltd.	3.81			
	Renew Solar Energy Pvt. Ltd. 220kV	17.34			
	Renew Solar Plant (Mdk. Dist.)	2.78			
	Renew Solar Pvt Ltd. (Minpur)	7.61			
	Renew Wind TN2 Solar	13.33			
	Renue Akshay Solar Plant	11.69			
	SLS Power Corp. Ltd. (Minihydel) 132KV	3.11			
	SUZLON Energy Ltd.	13.30			
	Shravana Power Projects Pvt. Ltd.	0.00			
	Sky Power Southeast Asia III Ltd (Previously Sunshakthi solar pvt. Ltd.)	6.51			
	Sunborne Energy Tech. (P) Ltd. (Solar)	4.92			
	Sunworld Solar Power Pvt. Ltd.	3.49			
	Suprasanna Solar	2.44			
	Suraj Kiran Solar Technologies (Mdk)	6.24			
	Suraj Kiran solar (Nlg)	6.99			
	Suryoday Energy Pvt. Ltd. (Shapoorji Pallonji)(Solar)	4.03			
	Transform Sun Energy 220kV	11.98			
	Ujjvalatejas Solaire Urja Pvt. Ltd. (Solar)	2.28			
	Vena Energy Solar Pvt Ltd (Previously Energon Soleq Pvt Ltd)	5.69			
	Winsol solar (Polepally)	2.03			
	Winsol solar (Tandur)	6.09			
	Zuka Solar	7.89			
IPPs	SINAGARENI	496.27		MU	in %
	TOTAL INPUT	7487.56	Total Losses	163.94	2.19
* Transmission Losses are applicable to OA Users for the period from 00.00hours of 26th August -2025 to 24.00hours of 25th September-2025.					
* The Transmission Losses are worked out by using MRI data.					
* MRI Data considered is from 00.00 Hr of 1st July - 2025 to 24.00 Hr of 31st July- 2025 at 00.15 Hr interval.					
* Cummlative losses at TG-Periphery FY 2025-26(upto July-2025) is 2.32%					